

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"709"/\$.ccls. and ((generic adj routing adj encapsulation) GRE) and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:13
L2	812	"709"/\$.ccls. and (XCF (cross near3 communication near3 facility) (CF) (cross near3 coupling near3 facility))(cross near3 connect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:14
L3	37	(Sysplex) and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:18
S1	32	(Sysplex) same (CF (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:16
S2	44	(Sysplex) same (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 12:03
S3	29	(XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility)) and (IPsec)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 15:12
S4	2	"6336137".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 13:13
S5	2	"6081900".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 13:13
S6	5	((virtual adj internet adj protocol adj address) VIPA) and (IPsec) and ((DVIPA) (dynamic adj routable adj VIPA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:47
S7	0	(distribution adj (server proxy gateway processor)) and ((cross) near5 (connect coupl\$5 rout\$5)) and (covert\$5 chang\$5 apply\$5) near10 (unsecure HTTP unsafe) near5 (HTTPS secure safe) near5 (connection link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:53
S8	0	(distribution adj (server proxy gateway processor)) and ((cross) near5 (connect coupl\$5 rout\$5)) and (covert\$5 chang\$5 apply\$5) near10 (unsecure HTTP unsafe) near5 (HTTPS secure safe) near5 (connection link protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:54

S9	2	(server proxy gateway processor) and ((cross) near5 (connect coupl\$5 rout\$5)) and (covert\$5 chang\$5 apply\$5) near10 (unsecure HTTP unsafe) near5 (HTTPS secure safe) near5 (connection link protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:56
S10	2	((cross) near5 (connect coupl\$5 rout\$5)) and (covert\$5 chang\$5 apply\$5) near10 (unsecure HTTP unsafe) near5 (HTTPS secure safe) near5 (connection link protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:58
S11	3	((cross) near5 (connect coupl\$5 rout\$5)) and (covert\$5 translat\$5 apply\$5) near10 (unsecure HTTP unsafe) near5 (HTTPS secure safe) near5 (connection link protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:59
S12	367633	(XCF (cross near3 communication near3 facility) (CF) (cross near3 coupling near3 facility)(cross near3 connect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:14
S13	101	S12 and (sysplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:16
S14	31	S12 and ((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:01
S15	72	S12 and ((IPsec) (internet adj security adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 15:43
S16	15	S12 and ((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:34
S17	6	S12 and (sysplex) and((IPsec) (internet adj security adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:17
S18	0	(sysplex) and((IPsec) (internet adj security adj protocol)) and ((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:19
S19	0	((IPsec) (internet adj security adj protocol)) and ((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:29

S20	1	(IP adj filter) near10 (bypass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:21
S21	91	((IPsec) (internet adj security adj protocol)) and ((generic adj routing adj encapsulation) GRE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:03
S22	7	(XCF (cross near3 communication near3 facility) (CF) (cross near3 coupling near3 facility)(cross near3 connect)) and ((IPsec) (internet adj security adj protocol)) and ((generic adj routing adj encapsulation) GRE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:04
S23	95	((IPsec) (internet adj security adj protocol)(generic adj routing adj encapsulation) GRE) near5 (tunnel) and (workload load) near10 (distribut\$5 shar\$5 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:43
S24	13	((IPsec) (internet adj security adj protocol)(generic adj routing adj encapsulation) GRE) near5 (tunnel) and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:45
S25	13	((IPsec) (internet adj security adj protocol) AND (generic adj routing adj encapsulation) GRE) near5 (tunnel) and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:48
S26	7925	((generic adj routing adj encapsulation) GRE) and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:13
S27	29	S26 and (IP near10 (filter screen\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:51
S28	16	S26 and (IP near10 (filter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:52
S29	3	S26 and (IP adj (filter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:52
S30	0	S26 and ((filter\$5 detect\$5 screen\$5) near10 (internal intranet LAN WAN) near10 (internet external network) near10 (traffic request communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:55

S31	697	((filter\$5 detect\$5 screen\$5) near10 (internal intranet LAN WAN) near10 (internet external network) near10 (traffic request communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:55
S32	7	S31 and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:06
S33	8	((IPsec) (internet adj security adj protocol) and (generic adj routing adj encapsulation) GRE) near5 (tunnel) and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility)) and (IPsec)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:39
S34	5	RFC1701	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:43
S35	8	RFC adj "1702"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 12:01
S36	1	(09/597853) and (Gaddis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:47
S37	5	(generic adj routing adj format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 12:03
S38	141	(generic adj routing adj encapsulat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:04
S39	5	S38 and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:07
S40	3	(generic adj routing adj encapsulat\$5) and ((ESCON) (enterprise adj system adj connectivity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:06
S41	1494	((ESCON) (enterprise adj system adj connectivity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:06

S42	3	S38 and (XCF (cross adj communication adj facility) (CF) (cross adj coupling adj facility)) and ((ESCON) (enterprise adj system adj connectivity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:29
S43	2	"6779051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:30
S44	0	(GRE (generic adj routing adj encapsulation)) and ((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:37
S45	273	((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:37
S46	0	((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture)) and (RFC adj "1701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:38
S47	0	((MVS/ESA) (MULTIPLE ADJ VIRTUAL ADJ STORAGE/enterprise adj system adj architecture)) and (IPsec)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:39
S48	55801	((IPsec) (internet adj security adj protocol) and (generic adj routing adj encapsulation) GRE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:39
S49	55800	((IPsec) (internet adj security adj protocol) same (generic adj routing adj encapsulation) GRE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:40
S50	66	((IPsec) (internet adj security adj protocol)) same ((generic adj routing adj encapsulation) GRE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:48
S51	2	"5424903".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:50
S52	2	"5619722".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:42

S53	1	(09/843605) and (Nguyen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 07:53
S54	2	"5754856".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 08:27
S55	2	"6779051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 08:27